


**ABSTRACT OF THE DISCLOSURE**

This invention relates to compounds of formula (I)



wherein

A is S, O, N, or CH;

B is S, O, N, or CH;

R<sup>1</sup> and R<sup>2</sup> are the same or are different and are C<sub>1-8</sub> alkyl, C<sub>2-8</sub> alkylene, C<sub>3-8</sub> cycloalkyl, aryl, heteroaryl, heterocycloalkyl, C<sub>3-6</sub> cycloalkylaryl, or heterocycloaryl; wherein said alkyl, alkylene, cycloalkyl, aryl, heteroaryl, heterocyclyl, cycloalkylaryl, or heterocycloaryl are unsubstituted or substituted by one or more groups selected from the group consisting of halogen, C<sub>1-8</sub> alkyl, C<sub>1-8</sub>alkoxy, C<sub>1-8</sub>thioalkoxy, cycloalkyl, aryl, heteroaryl, heterocycloalkyl, CF<sub>3</sub>, SCF<sub>3</sub>, NHC(O)<sub>n</sub>R<sup>5</sup>, S(O)<sub>m</sub>R<sup>5</sup>, S(O)<sub>2</sub>NR<sup>5</sup>R<sup>6</sup>, C(S)NR<sup>5</sup>R<sup>6</sup>, CONR<sup>5</sup>R<sup>6</sup>, C(O)<sub>n</sub>R<sup>5</sup>;

n is 0, 1 or 2;

m is 0, 1 or 2;

R<sup>5</sup> is hydrogen, alkyl, aryl, alkylaryl, heterocycloalkyl, or heteroaryl and is unsubstituted or substituted by one or more groups selected from the group consisting of alkyl, C<sub>1-3</sub>alkoxy, aryl, heteroaryl, halogen, NO<sub>2</sub>, CN, N<sub>3</sub>, SCF<sub>3</sub>, and CF<sub>3</sub>;

R<sup>6</sup> is hydrogen, alkyl, aryl, alkylaryl, heterocycloalkyl, or heteroaryl and is unsubstituted or substituted by one or more groups selected from the group consisting of alkyl, C<sub>1-3</sub>alkoxy, aryl, heteroaryl, halogen, NO<sub>2</sub>, CN, N<sub>3</sub>, SCF<sub>3</sub>, and CF<sub>3</sub>, or when R<sup>1</sup> and/or R<sup>2</sup> contains S(O)<sub>2</sub>NR<sup>5</sup>R<sup>6</sup>, CONR<sup>5</sup>R<sup>6</sup>, or C(S)NR<sup>5</sup>R<sup>6</sup>, then R<sup>5</sup>R<sup>6</sup> together with the nitrogen may form a heterocyclic ring; or

a pharmaceutically acceptable salt or solvate thereof.